

CLAIMS

What is claimed is:

1. A method, comprising:

refusing, by a drive, to provide information from a first surface of an optical medium when required information on a second surface of the optical medium cannot be read.

2. The method of claim 1, further comprising:

reading, from the first surface, information that indicates that information on the second surface is required.

3. The method of claim 1, further comprising:

refusing, by the drive, to provide information from a data surface of the optical medium when required information on an external surface of the optical medium cannot be read.

4. The method of claim 1, further comprising:

refusing, by the drive, to provide information from a first data surface of the optical medium when required information on a second data surface of the optical medium cannot be read.

5. An optical medium, comprising:

a first surface, the first surface having an indication that information on a second surface is required; and
information on the second surface corresponding to the indication on the first surface.

5

6. The optical medium of claim 5, further comprising:

the first surface being an internal data surface; and
the second surface being an external surface.

7. The optical medium of claim 5, further comprising:
the first surface being an external surface; and
the second surface being an internal data surface.
8. The optical medium of claim 5, further comprising:
each of the first surface and the second surface being an internal data surface.
9. The optical medium of claim 5, further comprising:
the information on the second surface comprising a bar code.
10. The optical medium of claim 5, further comprising:
the information on at least one of the first and second surfaces comprising data in
a control block.
11. The optical medium of claim 5, further comprising:
the information on at least one of the first and second surfaces comprising data
encoded in groove wobble.
12. The optical medium of claim 5, further comprising:
the information on at least one of the first and second surfaces comprising data
embedded within other data.
13. The optical medium of claim 5, further comprising:
the information on the second surface comprising variable information.
14. The optical medium of claim 13, further comprising:
the information on the second surface comprising a unique identifier of the optical
medium.
15. A drive for optical media, comprising:
a controller, the controller transferring, externally to the drive, information from a
first surface on an optical medium, only when required information can be read on
a second surface on the optical medium.

16. A drive for optical media, comprising:

means for detecting that information on a first surface of an optical medium is required; and

5 means for refusing to transfer information, externally to the drive, from a second surface of the optical medium, unless the required information on the first surface can be read by the drive.